VERIFICATION IP
PROCESSOR PERIPHERALS: AMBA ACE

Enable efficient validation of SoC designs by simulating real-world peripheral interactions, ensuring functional accuracy and streamlining the verification process.

For sales, please contact info@xtremesilica.com

OVERVIEW

AMBA ACE (Advanced Coherency Extensions) is utilized to validate the cache coherency protocols in SoC designs. It ensures seamless communication and data consistency between multiple processors and shared memory systems. VIP for AMBA ACE simulates complex scenarios like cache line sharing, eviction, and invalidation, helping to verify protocol compliance and system behavior under real-world conditions. With support for advanced features like snooping and directory-based coherency, AMBA ACE VIP accelerates the development of reliable, high-performance multiprocessor systems while reducing design errors and debugging time.



KEY FEATURES

Comprehensive Cache Coherency Verification

- AMBA ACE VIP ensures compliance with cache coherency protocols across multiple processors. It supports scenarios like shared, invalid, and exclusive cache states.

Support for Advanced Coherency Models

- Enables verification of snoop-based and directory-based coherency protocols. This is essential for high-performance multi-core systems.

Multi-Layer Interconnect Support

- Simulates interactions across hierarchical interconnects, ensuring accurate protocol compliance. Useful for complex SoC designs with multiple interconnect layers.

Coherency Transaction Coverage

- Covers transactions like ReadUnique, WriteBack, and CleanShared. It validates these transactions under various traffic scenarios.

Highly Configurable Test Environment

- Offers a parameterized environment for testing different ACE configurations. Customizable for bandwidth, latency, and coherency levels.

Protocol Checkers and Assertions

- The Verification IP includes built-in protocol checkers for AMBA ACE rules, detecting violations in real-time using assertions during simulation. This ensures efficient debugging and protocol compliance.

System-Level Performance Metrics

- Tracks and measures latency, throughput, and coherency resolution time. Helps optimize the SoC for performance bottlenecks.

Seamless Integration with SoC VIPs

- Works with AXI and other AMBA VIPs to create a unified testbench. Validates system-level interactions and compatibility.

Pre-Built Test Scenarios

- Includes test cases for cache eviction, invalidation, and snooping. Speeds up the verification process with reusable scenarios.

Debug-Friendly Features

- Offers transaction-level logging and waveform debugging. Facilitates rapid identification and resolution of issues.

AMBA ACE APPLICATIONS

Multi-Core Processor Systems

- Verifies cache coherency in multi-core architectures. Ensures reliable communication between cores and shared memory.

High-Performance Computing Systems

- Validates data integrity in systems requiring fast and coherent data sharing. Used in HPC designs to avoid performance degradation.

For sales, please contact info@xtremesilica.com

Real-Time Embedded Systems

Tests coherency protocols in time-sensitive applications. Ensures deterministic behavior for critical systems.

Artificial Intelligence and Machine Learning

Ensures proper data sharing in AI/ML accelerators with multi-core processing units. Supports rapid inference and training operations.

Automotive Electronics

Verifies coherent data processing in automotive SoCs. Critical for ADAS and real-time decision-making systems.

Consumer Electronics

Ensures efficient multi-core performance in devices like smartphones and tablets. Supports high-speed data sharing for better user experience.

Data Centers and Servers

- Validates coherency in large-scale server systems with multiple processors. Ensures reliable data handling under heavy workloads.

Networking Equipment

- Tests protocol adherence in high-speed network processors. Essential for maintaining coherency in packet processing systems.

5G Base Stations

- Ensures efficient data processing and sharing in 5G SoCs. Supports high-bandwidth and low-latency communication.

Graphics Processing Units (GPUs)

- Validates coherent memory transactions in GPUs. Essential for rendering and computational tasks requiring shared data.

AMBA ACE ARCHITECTURE



For sales, please contact info@xtremesilica.com

XtremeSilica Technologies Private Limited
494, 2nd Floor, CMH Road, Indiranagar,
Bengaluru, Karnataka 560038 India
www.xtremesilica.com
info@xtremesilica.com
+91 79932 79934